

Baton Rouge Industries, Inc. 5319 Groom Road • P.O. Box 26 Baker, Louisiana 70714 1-800-232-0334 • 225-775-3362 FX 225-775-3498 BatonRougeIndustries.com

Date: 08/01/17

Version 1

1. IDENTIFICATION

1.1. Product identifier

Product name M-25 Non-Melt Red E.P. Grease #2

Synonyms None

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Lubricating grease Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Manufacturer Baton Rouge Industries

5319 Groom Road Baker, La 70714 United States

(225-775-3362) (800-232-0334)

1.4. Emergency telephone number

ChemTel Emergency telephone 1-800-255-3924 International Emergency telephone +01-813-248-0585

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

2.2. Label elements

Signal word None

Symbols/Pictograms None

2.3. Hazards not otherwise classified (HNOC)

May be harmful if swallowed. May be harmful in contact with skin. May be harmful if inhaled. Harmful to aquatic life with long lasting effects.

2.4. Other information

3.133% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Chemical name	CAS No	weight-%
Antimony Dialkyldithiocarbamate	15890-25-2	2.5-5

The exact percentage (concentration) of composition has been withheld as a trade secret.

Ingredient comments This product is a clay thickened lubricating grease based on mineral oil with additives. The

mineral oils in the product contain <3% DMSO-extract (IP 346).

4. FIRST AID MEASURES

4.1. Description of first aid measures

InhalationMove to fresh air in case of accidental inhalation of vapors or decomposition products.

Skin contact Wash skin with soap and water.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids.

Ingestion Do not induce vomiting without medical advice. IF SWALLOWED: Call a POISON CENTER

or doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physiciansTreat symptomatically.

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media Use CO2, dry chemical, or foam.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Not flammable. Fire may produce irritating and/or toxic gases.

Hazardous combustion products Incomplete combustion and thermolysis may produce gases of varying toxicity such as

carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may

be highly dangerous if inhaled in confined spaces or at high concentration.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Extremely slippery when spilled. Avoid contact with eyes and skin. Avoid breathing vapors

or mists. Use personal protection recommended in Section 8.

6.2. Environmental precautions

Do not allow into any sewer, on the ground or into any body of water. Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upUse personal protective equipment as required. Take up with sand or other

non-combustible absorbent material and place into containers for later disposal.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling Extremely slippery when spilled. Avoid prolonged or repeated contact with skin. Avoid

breathing vapors or mists.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

heat, sparks and open flame. Keep at a temperature not exceeding 45°C.

Incompatible materialsNone known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Antimony Dialkyldithiocarbamate	TWA: 0.5 mg/m ³ Sb	TWA: 0.5 mg/m ³ Sb	IDLH: 50 mg/m ³ Sb
		(vacated) TWA: 0.5 mg/m ³ Sb	TWA: 0.5 mg/m ³ Sb
Dimethylbenzenes	STEL: 150 ppm	TWA: 100 ppm	
	TWA: 100 ppm	TWA: 435 mg/m ³	
		(vacated) TWA: 100 ppm	
		(vacated) TWA: 435 mg/m ³	
		(vacated) STEL: 150 ppm	
		(vacated) STEL: 655 mg/m ³	

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

8.2. Exposure controls

Engineering controls Eyewash stations

Ventilation systems

8.3. Individual protection measures, such as personal protective equipment



Hand protection Wear protective nitrile rubber gloves. Thickness ≥ 0.38 mm - breakthrough time >480

minutes. Thickness 0.1 mm - splash protection.

Eye/face Protection No special technical protective measures are necessary.

Skin and body protectionNo special technical protective measures are necessary.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

AppearanceSmoothPhysical stateSemi-solid

Color red

OdorNo information availableOdor thresholdNo information available

Property Values Remarks • Method

pH Not applicable

Melting point/freezing point No information available

Boiling point/boiling range

Not applicable

Flash point > 150 °C / > 302 °F Based on base oils Evaporation rate Not applicable

Flammability (solid, gas)

No information available

Flammability limits in air

Upper flammability limit

No information available

Lower flammability limit
Vapor pressure
Not applicable

Vapor DensityNot applicableRelative densityNo information availableWater solubilityNo information available

Solubility in other solvents No information available

Partition coefficient No information available (n-octanol/water)

Autoignition temperature

Decomposition temperature

Kinematic viscosity

No information available
No information available
No information available

Kinematic viscosityNo information availableDynamic viscosityNo information available

Other information

Density < 1000 kg/m³ @ 25 °C / 77 °F

10. STABILITY AND REACTIVITY

10.1. Reactivity

Stable.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

None under normal processing.

11. TOXICOLOGICAL INFORMATION

11.1. Information on likely routes of exposure

Inhalation Inhalation of oil mist may cause irritation, headaches, nausea and breathing difficulties.

Ingestion Malaise (vague feeling of discomfort).

Skin contact May be harmful in contact with skin.

Eye contact May cause slight irritation.

11.2. Information on toxicological effects

Symptoms No information available.

11.3. Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNot hazardous based on component data.

Serious eye damage/eye irritation Not hazardous based on component data.

Sensitization Not hazardous based on component data.

Germ cell mutagenicity Not hazardous based on component data.

Carcinogenicity Not hazardous based on component data.

Chemical name	ACGIH	IARC	NTP	OSHA
Crystalline silica	A2	Group 1	Known	X
14808-60-7				

Reproductive toxicityNot hazardous based on component data.

STOT-single exposure Not hazardous based on component data.

STOT-repeated exposure Not hazardous based on component data.

Aspiration hazard Not hazardous based on component data.

11.4. Numerical measures of toxicity

Acute toxicity 3.133% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 4341 mg/kg
ATEmix (dermal) 3516 mg/kg
ATEmix (inhalation-dust/mist) 60 mg/l

12. ECOLOGICAL INFORMATION

12.1. Ecotoxicity

Not regarded as dangerous for the environment. Occasional major emissions or frequently recurring minor emissions may have a harmful or disturbing effect.

12.2. Persistence and degradability

Not readily biodegradable.

12.3. Bioaccumulative potential

Material does not bioaccumulate.

12.4. Mobility in soil

After release, adsorbs onto soil.

12.5. Results of PBT and vPvB assessment

No information available

12.6. Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal of wastesDispose of in accordance with federal, state and local regulations. Use personal protection

recommended in Section 8.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

Other information Waste codes should be assigned by the user based on the application for which the product

was used

Chemical name	California hazardous waste status	
Antimony Dialkyldithiocarbamate	Toxic	
15890-25-2		

14. TRANSPORT INFORMATION

14.1. UN number

Not regulated

14.2. UN proper shipping name

Not regulated

14.3. Transport hazard class(es)

Not regulated

14.4. Packing group

Not applicable

14.5. Environmental hazards

None

14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

14.7. Special precautions for user

None

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Antimony		X		
Dialkyldithiocarbamate				
15890-25-2				

International Inventories

TSCA DSL/NDSL	Complies Complies
EINECS/ELINCS ENCS	Complies -
IECSC	Complies
KECL PICCS	Complies Complies
AICS	Complies
NZIoC	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	CAS No	weight-%	SARA 313 - Threshold Values %

Revision date 08/01/17

Antimony Dialkyldithiocarbamate	15890-25-2	2.5-5	1.0
15890-25-2			

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65	
Crystalline silica - 14808-60-7	Carcinogen	

U.S. State Right-to-Know Regulations

US State Regulations

* * * * * * * * * * * * * * * * * * *				
Chemical name	New Jersey	Massachusetts	Pennsylvania	
Antimony Dialkyldithiocarbamate 15890-25-2	Χ		X	
Crystalline silica 14808-60-7	X	X	X	
Dimethylbenzenes 1330-20-7	Χ	X	X	

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

HMIS Health hazards 1 Flammability 1 Physical hazards 0 Personal protection p

Health hazards 1 Flammability 1 Instability 0 Special Hazard -



Revision date 16-Feb-2015

Revision note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Material Safety Data Sheet